

- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText


















- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText




















- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText



















- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText















- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText















- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText


















- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText















- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText



















- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText



















- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText



















- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText



















- · Ultraflat Blackline S CRT
- Smart Picture
- Smart Sound
- Contrast Plus
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (5425 model only)
- · Parental Control
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText



















Pictre

Screen Size 29" (72cm)

Picture Tube 29" Ultraflat Blackline S

CRT

Visible Diagonal 68cm

Invar Mask

Scan Velocity Modulation (SCAVEM)

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

16:9 mode

Sharpness Control

Colour Temperature Control

Sound

Sound Output 2 x 8W RMS Loudspeakers Full Range 2 x 5"

Incredible Surround

Smart Sound Modes Theatre, Music,

Voice, Personal

Bilingual Switch on Remote Control Seperated Headphone Volume Control

Reception

Tuning System
PLL Tuning
UV, S and Hyperband
Channel Selection
Aerial Input
TV Systems
Video Playback
Stereo System
PLL Tuning
UV, S and Hyperband
100 presets
75 Ohm Coaxial
Vsee table
NTSC 3.58/4.43
See table

Teletext

Reception Stds TOP/FLOF

10 Pages memory

SmarText (4 favorite pages)

Connections

Side Stereo headphones out (3.5 mm)

Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo)

ear Ext 1: Scart RGB In + CVBS In/Out Ext 2: Scart CVBS In/Out + Y/C In

Audio Out Cinch x 1 (Stereo)

Operation

Remote Control RCE82B
No.of RC buttons 44 buttons
Side TV/VCR switch on remote control

On Screen Display (OSD)

Cursor Control

Multi Languages selection

Information Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes)

Daily on/off clock

Measuments

Mains 220 - 240V, 50/60 Hz

Power Consumption 110W Normal Oper. 3W Standby

Net Weight 37 kg (approx.) Gross Weight 43 kg (approx.) Gross Weight, incl. stand 48 kg (approx.)

Set Dimension 761 x 507 x 590 (W x D x H mm)

Box Dimension 849 x 628 x 734

(W x D x H mm) Box Dimension, 849 x 628 x 802

incl. stand (W x D x H mm)

Cabinet painting Equal Black 8007

Product Highlights

de finition and cont

Ultraflat Black Lines S CRT

The Ult raflat screen p ro vides an imp ro ved viewing angle, less disturbing reflections and pr events ima g distortion. The Black Lines also of fershigh contrast natural colours and improved daytime viewing.

SCAVEM (Sca n Velocity Modulation) va ries the speed of the elect ron beam to enhance the ima ge ed ges. circuit d ramatically imp ro ves the overall picture

Contrast Plus greatly enhances the degree of bla ck to white cont rast, thus optimizing the total cont imp ro ved picture clarity.

rast.

Incredible Surround actively processes the signal using advanced elect ronics and psy cho-acoustic metho to widen the stereo spi ritual image.

This feature provides incredible sound with ext raid.

This feature p ro vides incredible sound with ext and an unbeli evable three-dimensional ef fee

Smart Picture pro vides user with four factory preset positions (Soft , Natural, Rich, Personal) to enhance enjoyment of video game s, sports, movies et c. By selecting the desired option , all the important picture elements are instantly adjusted to optimize viewing pleasure.

Smart Sound pro vides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit individual sound preference when viewing different programmes or sources.

Easy Tune (ATI/ACS) pro vides you the ease of installing and sto ring channels with no fus s

version					ereo tem				stand supplied in the					
		2CS	NICAM	2CS	NICAM	NICAM	NICAM	PAL	PAL	PAL	SECAM	SECAM	SECAM	box
		DK	DK	BG	BG	- 1	LL'	BG	DK	1	BG	DK	LL'	
29PT5405	/00			•				•						
29PT5425	/01			•	•	•	•	•		•	•		•	
29PT5425	/05					•				•				
29PT5425	/58	•	•	•	•			•	•		•	•		

Chassis : A8
Release Date : Jan '98
Reference : GBP E 1297







Pictre

Screen Size 29" (72cm)

Picture Tube 29" Ultraflat Blackline S

CRT

Visible Diagonal 68cm

Invar Mask

Scan Velocity Modulation (SCAVEM)

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

16:9 mode

Sharpness Control

Colour Temperature Control

Sound

Sound Output 2 x 8W RMS Loudspeakers Full Range 2 x 5"

Incredible Surround

Smart Sound Modes Theatre, Music,

Voice Personal

Bilingual Switch on Remote Control Seperated Headphone Volume Control

Reception

Tuning System
PLL Tuning
UV, S and Hyperband
Channel Selection
Aerial Input
TV Systems
Video Playback
Stereo System
PLL Tuning
UV, S and Hyperband
100 presets
75 Ohm Coaxial
Vsee table
NTSC 3.58/4.43
See table

Teletext

Reception Stds TOP/FLOF

10 Pages memory

SmarText (4 favorite pages)

Connections

Side Stereo headphones out (3.5 mm)

Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo)

er Ext 1: Scart RGB In + CVBS In/Out Ext 2: Scart CVBS In/Out + Y/C In

Audio Out Cinch x 1 (Stereo)

Operation

Remote Control RCE82B
No.of RC buttons 44 buttons
Side TV/VCR switch on remote control

On Screen Display (OSD)

Cursor Control

Multi Languages selection

Information Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes)

Daily on/off clock

Measuments

Mains 220 - 240V, 50/60 Hz Power Consumption 110W Normal Oper.

3W Standby
Net Weight 37 kg (approx.)
Gross Weight 43 kg (approx.)

Gross Weight 43 kg (approx.)
Gross Weight, incl. stand 58 kg (approx.)
Set Dimension 761 x 507 x 590

(W x D x H mm) Box Dimension 849 x 628 x 734

(W x D x H mm)

Box Dimension, 849 x 628 x 802 incl. stand (W x D x H mm)

Cabinet painting Equal Black 8007

Product Highlights

Ultraflat Black Lines S CRT

The Ult raflat screen p ro vides an imp ro ved viewing angle, less disturbing reflections and pr events ima g distortion. The Black Lines also of fershigh contrast natural colours and improved daytime viewing.

SCAVEM (Sca n Velocity Modulation) varies the speed of the elect ron beam to enhance the image edges. circuit dramatically improves the overall picture definition and contrast.

Contrast Plus greatly enhances the degree of bla to white cont rast, thus optimizing the total cont imp ro ved picture clarity.

Incredible Surround actively p rocesses the signal using advanced elect ronics and psy cho-acoustic metho to widen the stereo spi ritual ima ge.

This feature p rovides incredible sound with ext raid.

This feature p ro vides incredible sound with ext and an unbeli evable three-dimensional ef fee

Smart Picture pro vides user with four factory preset positions (Soft , Natural, Rich, Personal) to enhance enjoyment of video game s, sports, movies et c. By selecting the desired option , all the important picture elements are instantly adjusted to optimize viewing pleasure.

Smart Sound pro vides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit individual sound preference when viewing different programmes or source s.

Easy Tune (ATI/ACS) pro vides you the ease of installing and sto ring channels with no fus s.

version					ereo tem				stand supplied in the					
		2CS	NICAM	2CS	NICAM	NICAM	NICAM	PAL	PAL	PAL	SECAM	SECAM	SECAM	box
		DK	DK	BG	BG	- 1	LL'	BG	DK	1	BG	DK	LL'	
29PT5405	/00			•				•						
29PT5425	/01			•	•	•	•	•		•	•		•	
29PT5425	/05					•				•				
29PT5425	/58	•	•	•	•			•	•		•	•		

Chassis : A8
Release Date : Jan '98
Reference : GBP E 1297







Pictre

Screen Size 29" (72cm)

29" Ultraflat Blackline S Picture Tube

CRT

Visible Diagonal 68cm

Invar Mask

Scan Velocity Modulation (SCAVEM)

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

16:9 mode

Sharpness Control

Colour Temperature Control

Sound

Sound Output 2 x 8W RMS Loudspeakers Full Range 2 x 5"

Incredible Surround

Smart Sound Modes Theatre, Music,

Voice Personal

Bilingual Switch on Remote Control Seperated Headphone Volume Control

Reception

Tuning System PLL Tuning UV, S and Hyperband Tuner **Channel Selection** 100 presets Aerial Input 75 Ohm Coaxial TV Systems See table Video Playback NTSC 3.58/4.43

Stereo System See table

Teletext

TOP/FLOF Reception Stds

10 Pages memory

SmarText (4 favorite pages)

Connections

Side Stereo headphones out (3.5 mm)

> Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo) Ext 1: Scart RGB In + CVBS In/Out

Ext 2: Scart CVBS In/Out + Y/C In

Audio Out Cinch x 1 (Stereo)

Operation

Remote Control RCE82B No.of RC buttons 44 buttons Side TV/VCR switch on remote control

On Screen Display (OSD)

Cursor Control

Multi Languages selection

Information Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes)

Daily on/off clock

Measuments

Mains 220 - 240V, 50/60 Hz

Power Consumption 110W Normal Oper. 3W Standby

Net Weight 37 kg (approx.) Gross Weight 43 kg (approx.)

Gross Weight, incl. stand 48 kg (approx.) Set Dimension 761 x 507 x 590

(W x D x H mm)

Box Dimension 849 x 628 x 734 (W x D x H mm)

Box Dimension, 849 x 628 x 802

incl. stand $(W \times D \times H mm)$

Cabinet painting Equal Black 8007 Product Highlights

Ultraflat Black Lines S CRT

The Ult raflat screen p ro vides an imp ro ved viewing angle, less disturbing reflections and pr events ima g distortion. The Black Lines also of fers high contrast

natu ral colou rs and imp ro ved daytime viewing.

SCAVEM (Sca n Velocity Modulation) va ries the speed of the elect ron beam to enhance the ima ge ed ges. circuit d ramatically imp ro ves the overall picture

de finition and cont rast.

Contrast Plus greatly enhances the degree of bla ck to white cont rast, thus optimizing the total cont ras

imp ro ved picture clarity.

pleasur e.

Incredible Surround actively p rocesses the signal

using advanced elect ronics and psy cho-acoustic metho

ra d

to widen the stereo spi ritual ima ge.

This feature p ro vides incredible sound with ext and an unbeli evable three-dimensional ef

Smart Picture pro vides user with four facto ry preset positions (Soft , Natu ral, Rich, Personal) to enhance s, sports, movies et c. By eni oyment of video game selecting the desired option , all the impo r tant picture elements are instantly adjusted to optimi

Smart Sound pro vides user with four facto ry preset positions (Theatr e, Musi c, Voic e, Personal) to suit individual sound pre ference when viewing dif programmes or source

S.

Easy Tune (ATI/ACS) pro vides you the ease of installing and sto ring channels with no fus

version					reo tem				stand supplied in the					
		2CS	2CS NICAM 2CS NICAM NICAM NICAM						PAL	PAL	SECAM	SECAM	SECAM	box
	DK	DK	BG	BG	- 1	LL'	BG	DK	- 1	BG	DK	LL'		
29PT5405	/00			•				•						
29PT5425	/01			•	•	•	•	•		•	•		•	
29PT5425	/05					•				•				
29PT5425	/58	•	•	•	•			•	•		•	•		

Chassis : A8 : Jan '98 Release Date Reference GBP E 1297







Pictre

Screen Size 29" (72cm)

Picture Tube 29" Ultraflat Blackline S

CRT

Visible Diagonal 68cm

Invar Mask

Scan Velocity Modulation (SCAVEM)

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

16:9 mode

Sharpness Control

Colour Temperature Control

Sound

Sound Output 2 x 8W RMS Loudspeakers Full Range 2 x 5"

Incredible Surround

Smart Sound Modes Theatre, Music,

Voice Personal

Bilingual Switch on Remote Control Seperated Headphone Volume Control

Reception

Tuning System PLL Tuning
Tuner UV, S and Hyperband
Channel Selection 100 presets
Aerial Input 75 Ohm Coaxial

TV Systems See table
Video Playback NTSC 3.58/4.43

Stereo System See table

Teletext

Reception Stds TOP/FLOF

10 Pages memory

SmarText (4 favorite pages)

Connections

Side Stereo headphones out (3.5 mm)

Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo)

er Ext 1: Scart RGB In + CVBS In/Out

Ext 2: Scart CVBS In/Out + Y/C In Audio Out Cinch x 1 (Stereo)

Operation

Remote Control RCE82B No.of RC buttons 44 buttons

Side TV/VCR switch on remote control

On Screen Display (OSD)

Cursor Control

Multi Languages selection

Information Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes)

Daily on/off clock

Measuments

Mains 220 - 240V, 50/60 Hz Power Consumption 110W Normal Oper.

Power Consumption 110W Normal Op 3W Standby

Net Weight 37 kg (approx.) Gross Weight 43 kg (approx.) Gross Weight, incl. stand 48 kg (approx.)

Set Dimension 761 x 507 x 590

(W x D x H mm) Box Dimension 849 x 628 x 734

(W x D x H mm) Box Dimension, 849 x 628 x 802

incl. stand (W x D x H mm)

Cabinet painting Equal Black 8007

Product Highlights

Ultraflat Black Lines S CRT

The Ult raflat screen p ro vides an imp ro ved viewing angle, less disturbing reflections and pr events ima g distortion. The Black Lines also of fershigh contrast

natu ral colou rs and imp ro ved daytime viewing.

SCAVEM (Sca n Velocity Modulation) varies the speed of the elect ron beam to enhance the image edges. circuit dramatically improves the overall picture

de finition and cont rast.

Contrast Plus greatly enhances the degree of bla ck to white cont rast, thus optimizing the total cont rast

imp ro ved picture clarity.

Incredible Surround actively p rocesses the signal

using advanced elect ronics and psy cho-acoustic method

ra d

to widen the stereo spi ritual ima ge.

This feature p ro vides incredible sound with ext and an unbeli evable three-dimensional ef fec

Smart Picture pro vides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video game s, sports, movies et c. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing

Smart Sound pro vides user with four facto ry preset positions (Theatr e, Musi c, Voic e, Personal) to suit individual sound pre ference when viewing dif ferent

programmes or source s.

pleasur e.

Easy Tune (ATI/ACS) pro vides you the ease of installing and sto ring channels with no fus s

version	version stereo system								stand supplied in the					
		2CS	2CS NICAM 2CS NICAM NICAM NICAM						PAL	PAL	SECAM	SECAM	SECAM	box
		DK	DK	BG	BG	- 1	LL'	BG	DK	- 1	BG	DK	LL'	
29PT5405	/00			•				•						
29PT5425	/01			•	•	•	•	•		•	•		•	
29PT5425	/05					•				•				
29PT5425	/58	•	•	•	•			•	•		•	•		

Chassis : A8
Release Date : Jan '98
Reference : GBP E 1297







Pictme.

Screen Size 29" (72cm)

29" Ultraflat Blackline S Picture Tube

CRT

Visible Diagonal 68cm

Invar Mask

Scan Velocity Modulation (SCAVEM)

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

16:9 mode

Sharpness Control

Colour Temperature Control

Sound

Sound Output 2 x 8W RMS Loudspeakers Full Range 2 x 5"

Incredible Surround

Smart Sound Modes Theatre, Music,

Voice Personal

Bilingual Switch on Remote Control Seperated Headphone Volume Control

Reception

Tuning System PLL Tuning Tuner UV, S and Hyperband **Channel Selection** 100 presets Aerial Input 75 Ohm Coaxial TV Systems See table Video Playback NTSC 3.58/4.43 Stereo System See table

Teletext

TOP/FLOF Reception Stds

10 Pages memory

SmarText (4 favorite pages)

Connections

Side Stereo headphones out (3.5 mm)

> Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo)

Ext 1: Scart RGB In + CVBS In/Out Ext 2: Scart CVBS In/Out + Y/C In

Audio Out Cinch x 1 (Stereo)

Operation

Remote Control RCE82B No.of RC buttons 44 buttons Side TV/VCR switch on remote control

On Screen Display (OSD)

Cursor Control

Multi Languages selection

Information Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes)

Daily on/off clock

Measuments

Mains 220 - 240V, 50/60 Hz Power Consumption 110W Normal Oper.

3W Standby Net Weight 37 kg (approx.)

Gross Weight 43 kg (approx.) Gross Weight, incl. stand 48 kg (approx.) Set Dimension 761 x 507 x 590

(W x D x H mm) Box Dimension 849 x 628 x 734

(W x D x H mm)

Box Dimension, 849 x 628 x 802

incl. stand $(W \times D \times H mm)$

Cabinet painting Equal Black 8007 Product Highlights

de finition and cont

Ultraflat Black Lines S CRT

The Ult raflat screen p ro vides an imp ro ved viewing angle, less disturbing reflections and pr events ima g distortion. The Black Lines also of fers high contrast natu ral colou rs and imp ro ved daytime viewing.

SCAVEM (Sca n Velocity Modulation) va ries the speed of the elect ron beam to enhance the ima ge ed ges. circuit d ramatically imp ro ves the overall picture

Contrast Plus greatly enhances the degree of bla ck to white cont rast, thus optimizing the total cont imp ro ved picture clarity.

ras

ra d

rast.

Incredible Surround actively p rocesses the signal using advanced elect ronics and psy cho-acoustic metho to widen the stereo spi ritual ima ge.

This feature p ro vides incredible sound with ext and an unbeli evable three-dimensional ef fect.

Smart Picture pro vides user with four facto ry preset positions (Soft , Natu ral, Rich, Personal) to enhance s, sports, movies et c. By eni oyment of video game selecting the desired option , all the impo r tant picture elements are instantly adjusted to optimi pleasur e.

Smart Sound pro vides user with four facto ry preset positions (Theatr e, Musi c, Voic e, Personal) to suit individual sound pre ference when viewing dif programmes or source S.

Easy Tune (ATI/ACS) pro vides you the ease of installing and sto ring channels with no fus

version					reo tem				stand supplied in the					
		2CS	NICAM	2CS	NICAM	NICAM	NICAM	PAL	PAL	PAL	SECAM	SECAM	SECAM	box
		DK	DK	BG	BG	- 1	LL'	BG	DK	1	BG	DK	LL'	
29PT5405	/00			•				•						
29PT5425	/01			•	•	•	•	•		•	•		•	
29PT5425	/05					•				•				
29PT5425	/58	•	•	•	•			•	•		•	•		

Chassis : A8 Release Date : Jan '98 GBP E 1297 Reference







Pictre

Screen Size 29" (72cm)

Picture Tube 29" Ultraflat Blackline S

CRT

Visible Diagonal 68cm

Invar Mask

Scan Velocity Modulation (SCAVEM)

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

16:9 mode

Sharpness Control

Colour Temperature Control

Sound

Sound Output 2 x 8W RMS Loudspeakers Full Range 2 x 5"

Incredible Surround

Smart Sound Modes Theatre, Music,

Voice, Personal

Bilingual Switch on Remote Control Seperated Headphone Volume Control

Reception

Tuning System
PLL Tuning
UV, S and Hyperband
Channel Selection
Aerial Input
TV Systems
Video Playback
Stereo System
PLL Tuning
UV, S and Hyperband
100 presets
75 Ohm Coaxial
Vsee table
NTSC 3.58/4.43
See table

Teletext

Reception Stds TOP/FLOF

10 Pages memory

SmarText (4 favorite pages)

Connections

Side Stereo headphones out (3.5 mm)

Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo)

er Ext 1: Scart RGB In + CVBS In/Out Ext 2: Scart CVBS In/Out + Y/C In

Audio Out Cinch x 1 (Stereo)

Operation

Remote Control RCE82B
No.of RC buttons 44 buttons
Side TV/VCR switch on remote control

On Screen Display (OSD)

Cursor Control

Multi Languages selection

Information Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes)

Daily on/off clock

Measuments

Mains 220 - 240V, 50/60 Hz Power Consumption 110W Normal Oper.

3W Standby
Net Weight 37 kg (approx.)
Gross Weight 43 kg (approx.)

Gross Weight, incl. stand 48 kg (approx.)
Set Dimension 761 x 507 x 590

(W x D x H mm) Box Dimension 849 x 628 x 734

(W x D x H mm)

Box Dimension, 849 x 628 x 802 incl. stand (W x D x H mm)

Cabinet painting Equal Black 8007

Product Highlights

Ultraflat Black Lines S CRT

The Ult raflat screen p ro vides an imp ro ved viewing angle, less disturbing reflections and pr events ima g distortion. The Black Lines also of fershigh contrast natural colours and improved daytime viewing.

SCAVEM (Sca n Velocity Modulation) varies the speed of the elect ron beam to enhance the image edges. circuit dramatically improves the overall picture definition and contrast.

Contrast Plus greatly enhances the degree of bla ck to white cont rast, thus optimizing the total cont imp ro ved picture clarity.

Incredible Surround actively p rocesses the signal using advanced elect ronics and psy cho-acoustic metho to widen the stereo spi ritual ima ge.

ra d

This feature p ro vides incredible sound with ext and an unbelievable three-dimensional effect.

Smart Picture pro vides user with four factory preset positions (Soft , Natural, Rich, Personal) to enhance enjoyment of video game s, sports, movies et c. By selecting the desired option , all the important picture elements are instantly adjusted to optimize viewing pleasure.

Smart Sound pro vides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit individual sound preference when viewing different programmes or sources.

Easy Tune (ATI/ACS) pro vides you the ease of installing and sto ring channels with no fus s.

version					reo tem				stand supplied in the					
		2CS	NICAM	2CS	NICAM	NICAM	NICAM	PAL	PAL	PAL	SECAM	SECAM	SECAM	box
		DK	DK	BG	BG	- 1	LL'	BG	DK	1	BG	DK	LL'	
29PT5405	/00			•				•						
29PT5425	/01			•	•	•	•	•		•	•		•	
29PT5425	/05					•				•				
29PT5425	/58	•	•	•	•			•	•		•	•		

Chassis : A8
Release Date : Jan '98
Reference : GBP E 1297





